

PAEDIATRICS COMPLETE

Based On Dr. Anand Bhatia's Youtube Live Session



Notespaedia.com
More than just notes...

Please Note:

- ✓ This is the *digital handwritten note* of Paediatrics Complete based on Dr. Anand Bhatia 3 hr Youtube Live Session.
- ✓ All the Slides/ Images/ Diagrams and Graphs discussed by the lecturer is added
- ✓ All the questions discussed by the lecturer is added

ABBREVIATION

Q = Previous year question

WARNING : THIS NOTES ARE FREE WHICH IS AVAILABLE FOR DOWNLOAD IN NOTESPAEDIA TELEGRAM GROUP

Please provide your valuable feedback and check our other notes in **Telegram group- Notespaedia**

① D.O.C of Absence S₃

↳ Ethosuximide (outside India)

2nd choice: Sodium Valproate

② A/c diarrhea

Rx: WHO ORS

⊕

Zinc.

No Antibiotics req. in diarrhea

condition where antibiotics should be give:

- i) Diarrhea with dysentery (blood while passing stool)
- ii) SAM
- iii, Rice watery stool → Cholera

Zn dose

< 6 month = 10mg

> 6 month = 20mg

- Tenesmus → incomplete evacuation of bowel a/w abd. cramps / pain & pain while passing stool
- Hematochezia → passing fresh blood in stool {lower GI bleed}
- Melena → Black Tarry {upper GI bleed}
- Demarcation of upper GI & lower GI → Ligament of Treitz.
- Frothy diarrhea & perianal excoriation → LACTOSE INTOLERANCE

Rx of choice: Topical Zn.

- (MC) bacteria & Virus causing diarrhea

↓
E. coli

↓
Rota Virus

- (MCC) of diarrhea


Composition of ORS:

- $\text{Na}^+ = 75 \text{ mOsm/L}$
 - glucose = 75 mOsm/L
 - $\text{K}^+ = 20 \text{ mOsm/L}$
 - $\text{Cl}^- = 65 \text{ mOsm/L}$
 - Citrate = 10 mOsm/L
- 1:1 composition

Total osmolality = 245 mOsm/L


- Types of E. coli causing diarrhea → **E. Toxigenic** ⇒ Traveler's diarrhea
- E. Invasive
- E. HEC
- E. pathogenic

③



THUMB SIGN

- Ac Epiglottitis
- Rx: Antibiotics : CEFTRIAXONE



STEEPLE SIGN

- Croup { Laryngotracheobronchitis }

Rx: Dexamethasone

+

Adrenaline Nebulization

④ Apnea of Prematurity : more the baby premature more the babies respiratory drive is not taking place.

- Temporary cessation of breathing for 20 sec with/without cyanosis

• DOC : Caffeine Citrate

⑤ Cholera:


- MOT: Fecal oral route

- D.O.C = Doxycycline

< 8yrs → Azithromycin (macrolides)



More than just notes...

Congenital Adrenal Hyperplasia :



Rx DC = Hydrocortisone + Fludrocortisone

Foreign Body Esophagus :



Breast feeding: No food or drink unless medically indicated medicine → Breast feeding started from 1hr of life to 6 months.

Normal vaginal delivery → Breastfeeding initiated ASAP

LSCS → B-F after 3hrs.

C/I of B.F.:

Absolute

1) Galactosemia

Relative


1) Mother in Chemo/Radio

2) Active untreated TB

3) HIV

Website - notespaedia.com
Telegram - Notespaedia

GALACTOSE METABOLISM:



In galactosemia more and more B-F of baby

↓ left

Harmful galactose accumulate in the body

- cataract
- Hepatic damage
- microcephaly

cause of } Hypoglycemia death

Non Classical GALACTOSEMIA

- Galactokinase deficiency
- cataract +ve.



• D/t to vit. k def.

Rx:

- Vit. k inj.
- 1mg IM STAT
- anterolateral aspect of thigh



Anteromedial not recommended
to prevent injury to
Femoral vessels.

Neonatal Jaundice:

• more and more jaundice → more & more hemolysis

causes:

- 1) Rh incompatibility
 - 2) ABO "
 - 3) Hemolytic anemia
 - 4) Hypothyroidism
 - 5) G6PD def. & enzymopathy
 - 6) Elliptocytosis
 - 7) Pyknotocytosis
- } membrane pathology

Rx: • Phototherapy
• exchange transfusion.

[4IF] @ 26:22 → Neonatal S3.

Red Box


Ⓜ type : subtle S3.

[4IF] @ 27:00 → Neonatal S3.

→ DOC: Phenobarbitone
Loading dose = 20mg/kg
Maintenance = 5mg/kg

Neonatal Sepsis:

neonate : **0 - 28 days** of Life




Infant = 28d - 1yr

Toddler = 1 - 3yr

Pre-school = 3 - 6

School going period = 6 - 12yr.

Adolescent = 10 - 19yr



• **DOC** → Antibiotics.

• **MC** cause of neonatal sepsis

↳ WORLD →

↳ Hospital : E. coli

↳ Overall : Group B Streptococci.

↳ INDIA → Acinetobacter > Klebsiella

↳ Hospital → " "

MENINGITIS WITH OR WITHOUT
+ VE BLOOD/CSF CULTURE

21 DAYS

BLOOD CULTURE + VE BUT NO
MENINGITIS

14 DAYS

SEPTIC SCREEN +

5-7 DAYS

Neonatal sepsis: IV antibiotics

- Gold std. InxOC: Blood Culture
 - ↳ Neonatal sepsis
 - ↳ Enteric fever

Nephrotic Syndrome ::



Periorbital swelling

Facial puffiness

ANASARCA

Rx: Prednisolone
2mg/kg/day x 6wks
↓ Hb
Prednisolone
1.5mg/kg/day x 6w

D/Ds of Anasarca : 1) Anemia

2) CCF

RHF

→ ⊕ Raised JVP, tender Hepatomegaly
ascites, scrotal edema, B/L
pitting edema

→ ⊕ LHF: B/L crepitation

3) PHTN

↳ Kwashiorkor

↳ Malnutrition

↳ Nephrotic Sx.

Website - notespaedia.com
Telegram - Notespaedia

DOC

Steroid dependent
nephrotic syndrome

- CYCLOPHOSPHAMIDE
- LEVAMISOLE

Steroid Resistant
N'S

- ↳ Cyclosporin
- ↳ Tacrolimus.



SYNDACTALY

Abn fusion of
digits

- Polydactily → >5 fingers
- Brachydactily → Abn stubby fingers
s/i Achondroplasia
- Arachnodactily → Long slender fingers s/i MARFANS Sx



MANDIBULAR PROGNATHISM

s/c Kruken Syndrome.


Website - notespaedia.com
Telegram - Notespaedia

Micrognathia
+
Glossoptosis
+
U shaped cleft palate
+
Difficult Bag and mask
ventilation

PIERCE ROBBINS Sx

Notespaedia
More than just notes...

Polydactyly:



Pre axial


- Less common
- Thumb side

Central

Post Axial

- ulnar side

Brachydactyly



Nocturnal Enuresis:

Baby passing urine who is **> 5yr of age** is 1° nocturnal enuresis

Milestone ⇒ Dry by day = 18 months
Dry by night = 36 months

Types

- 1° → never bn Dry by night
- 2° → > 6 months (N)
But now wet by night

RxOC → motivational therapy / conditioning therapy

D.O.C → 2nd line but not curative: **DESMOPRESSIN (ADH)**

3rd line: Imipramine {Tricyclic Antidepressant}

Nutritional Rickets:

- Bowing of legs
- swelling of wrist.

• STOSS THERAPY: single Vit. D inj 6 Lakh IU IM
or


60,000 IU cholecalciferol sachet x 10 days

Pertussis:




BORDETELLA PERTUSSIS

↳ GRAM NEGATIVE COCCOBACILLI



HYALINE MEMBRANE DISEASE:



• def. of surfactant.

White Out Lung

Air Bronchogram.


GF: Grunting → forced expiratory sound against a partially closed epiglottis.

- ↳ Defence mechanism to maintain the FRC
- ↳ S/i pre term.

Surfactant → 28 wk = Amniotic fluid
IUL

35 wk : mature level of surfactant
IUL in the lungs

RxOC :: Surfactant
CPAP



Meconium Aspiration Sx

- Lungs are overinflated with **coarse opacities** throughout the lungs

Website - notespaedia.com
Telegram - Notespaedia



Scurvy

- Vit C is given
- C/F: pseudoparalysis of limb. d/t excruciating pain in joints so the child refuse to stand and mistaken to be case of AFP


WEST SYNDROME

{GIF} @ 50:15 → west syndrome

Triad of west syndrome

More than just notes...

Rx: ACTH





K-F ring

S/i WILSON D/s

- ↳ panda sign
- ↳ ↑ S-Cu
- ↳ ↓ S. ceruloplasmin
- ↳ ATP7B gene mutation
- (ATP7A gene mutation
s/i Menke's d/s)

Gene of some d/s:

- ATP7B → Wilson d/s
- ATP7A → Menke's d/s
- FGFR3 → Achondroplasia
- FGFR2 → Creuzon Syndrome
- ^{JIPMER'19} FBN1 → Marfan Syndrome
- PTPN11 → Noonan Syndrome

MARFAN Sx:

↳ (M): MVP

(A): Aortic Dissection

(R): Retinal detachment

(F): Fibrillin-1 def.

(A): Arachnodactyly

(N): -ve nitroprusside test

(S): Supero lateral subluxation

Homocystenuria: Intero
medial subluxation

• Gold standard for Wilson's d/s : Hepatic Cu by Liver Biopsy


• Rx : i) Cu chelating agents

ii) Zinc

iii) Ammonium tetrathiomolybdate (trientine)

Website - notespaedia.com
Telegram - Notespaedia


Radiological signs in Pediatrics



Boot shaped heart

↓
s/i **TOF**

d/t **R ventricular hypertrophy.**



1) Triology of Fallot

↳ RVH

↳ ASD

↳ PS

2) Tetralogy of Fallot

↳ RVH

↳ PS

↳ VSD

↳ overriding of Aorta

3) Pentology of Fallot

↳ RVH ↳ VSD

↳ PS

↳ ASD

Congenital heart d/s

Oligemic lung field: ↓ blood RV

- ↳ P.S
- ↳ P. Atresia
- ↳ T.S
- ↳ T. Atresia
- ↳ Ebsteins anomaly

Plethoric lung field : ↑ blood RV


- ↳ ASD
- ↳ VSD
- ↳ PDA.

Waardenburg Syndrome :




- Hearing loss
- Distinctive hair colouring: White forelock
- Heterochromia iridis

Turners Syndrome



- 45XO
- Female with webbed neck
- Widely spaced nipple
- 1Q (N)
- Amenorrhea
- Streaked ovary: Infertile
- FSH & LH (N)
- (MC) CHD → Bicuspid aortic valve
- (MCC) death → coarctation of Aorta.

Noonan Syndrome:



- Karyotype is (N)
- Male with webbed neck
- (MC) CHD → P.S
- Fertile but delayed puberty
- Mental retardation
- Both sex

Website - notespaedia.com
Telegram - Notespaedia



EDWARD Syndrome:

- Rocker Bottom Feet
- overlapping digits.
- Cardiac defect
- Kidney d/s
- low set year.
- Mental Retardation


Trisomy 13 chromos → Patau ⇒ ASD > VSD

Trisomy 18 chrom → Edward ⇒ VSD > ASD

Trisomy 21 chromosome → Down Syndrome

↳ (MC) CHD → ostium primum ASD
most specific → Endocardial
cushion defect

(MC) ASD → ostium secundum ASD



- ① Noonan Syndrome → Pulmonary Stenosis
- ② Turner's Syndrome → Bicuspid Aortic Valve
- ③ Williams' Syndrome → Supravalvular aortic stenosis
- ④ Infant of DM mother → VSD (M.C.)

Most specific = TGA

(MC) anomaly = CHD

(MC) neurological anomaly = NTD

(MC) specific anomaly = Caudal regression syndrome

Pederson hypoth. { Mother → Hyperglycemic
Baby → Hypoglycemic


⑤ Down Syndrome → Ostium Primum ASD

⑥ Overall (MC) ASD → Ostium Secundum ASD


⑦ Patau → ASD

⑧ Edward → VSD

Coarctation of Aorta ::



- Figure of 3 sign
- Discrepancy in upper & lower limb B.P



Coarctation of Aorta

Reverse 3 sign / E sign

Notespaedia
More than just notes...



- Figure of 8 sign = Supracardiac TAPVC




G.I abn in down syndrome → Duodenal atresia
↳ double bubble sign.

- Single bubble sign → Pyloric stenosis
- Double bubble sign → Duodenal Atresia
- Tripple bubble sign → Jejunal atresia

Partial Anomalous Pulmonary venous connection:



TGA:



Egg on string appearance

RxOC: Arterial switch


Cyanotic Heart d/s:

- T&F
- TAPVC
- TGA
- TA
- Ebstein Anomaly




Notespaedia
More than just notes...

Bronchiectasis:



SIGNET RING SIGN


TAPVC:



9i Supracardiac TAPV


- TAPVC
 - supra → figure 8 / snowman
 - cardiac
 - infracardiac → white out lung

Notespaedia
More than just notes...



Ebstein Anomaly


- Li taken by mother
- Box shaped heart
- Atrialization of R.A.



"Himalayan Pulse"

↓
oligemic lung field : cyanosis

↓
LV hypertrophy



Left ventricular enlargement

Schmoo sign


Website - notespaedia.com
Telegram - Notespaedia



Wilson d/s:-
~~~~~

• Panda sign

Notespaedia  
More than just notes...



## Pericardial Effusion :

- Money Bag / water bottle shaped heart

Website - notespaedia.com  
Telegram - Notespaedia

- ostium primum ASD → LVH
- ostium secundum ASD → RVH

## ACHONDROPLASIA :

Champagne glass pelvis in achondroplasia



Trident Hand

⇒ Achondroplasia

- Short limb dwarfism



## Claw sign

### Intussusception



## Intussusception:

- Palpable mass
- pain abdomen
- Red currant jelly stool.

## Kartagener Triad:

- 1, Chronic sinusitis
- 2, Bronchiectasis
- 3, Situs Inversus

## Image based discussion:

## Rickets:



widening of wrist



- cupping
- fraying
- splaying




Rx: Vit D 60,000 IU/day x 10 day

or

stress therapy: Inj. Vit. D 6 lakh IU / single dose / IM


Necrotizing enterocolitis:



- NEC Stage III.
- pneumatosis intestinalis
- portal vein gas
- Football sign

• (MC) abdominal / GIT emergency of newborn or preterm  
↳ NEC

Thalassemia:



Hair on end appearance


P.S: microcytic hypochromic anemia

- D/D
- ↳ S: sideroblastic anemia
  - ↳ I: iron deficiency anemia
  - ↳ T: Thalassemia
  - ↳ A: Anemia of C/c d/s

| Iron deflt. Anemia | Thallemia | Anemia of c/s d/s |
|--------------------|-----------|-------------------|
| S. Ferritin ↓      | (N)       | ↑                 |
| TIBC ↑             | (N)       | ↓                 |
| Hb (E) unchanged   | changed   | unchanged         |

1:29:20 @ Blood picture report of microcytic hypochromic anemia.


Website - notespaedia.com  
Telegram - Notespaedia



## Moyamoya Disease


- Publr of smoke appearance

Notespaedia  
More than just notes...



## Bitot spot

Build of Keratin located superficially in the conjunctiva of human's eye d/t vit. A deficiency



Blue sclera & recurrent fractures



Osteogenesis Imperfecta.

Joint hypermobility → EHLER DANLOS Sx  
MARFANS Sx.

{41F} → @ 1:33:07 ⇒ Gower's Sign S/i Duchenne MD  
Valley's Sign

More than just notes...





## Rachitic Rosary

- Vit. D defb.
- Pain less
- Round and beaded

## Scorbutic Rosary

- Vit. C defb
- Pain full
- pointed

Website - notespaedia.com  
Telegram - Notespaedia



Notespaedia

## Pellagra:

- Niacin (Vit. B3) deficiency
- 4D's → i) Diarrhea  
ii) Dementia, depression.  
iii) Dermatitis,  
iv) Death



## Drugs given intratracheal:

- i, Naloxone
- ii, Atropine
- iii, Surfactant
- iv, Atropine
- v, Lignocaine


• (iv) B.P of 4yr old  $\rightarrow$  90<sup>th</sup> percentile of B.P.

$$\text{Systolic} = 90 + \text{age} \times 2$$

$$\text{diastolic} = 55 + \text{age} \times 2$$

$$S/D = 98/63$$

## Milestones:



- Tripod = 6 months
- sitting without } 8 months support
- standing with } 9 months support
- standing without } 12 months support
- Walk with one hand held } 12-13 months

- Independently walk  $\rightarrow$  15 months
- Runs  $\rightarrow$  18 months

- Climb stairs with two feet in each step  $\rightarrow$  2yr
- " " with alternate feet  $\rightarrow$  3yr
- Comb downstairs  $\rightarrow$  4yr.
- Kick a ball } 2yr.
- Move backward }
- Handedness come  $\rightarrow$  3yr
- Toilet alone  $\rightarrow$  4yr
- Knows full name/age & sex  $\rightarrow$  3yr

Website - notespaedia.com  
Telegram - Notespaedia

## Temperature of Newborn:

•  $\textcircled{N} = 36.5 - 37.5^{\circ}\text{C}$

mild hypothermia =  $36.0 - 36.5$

moderate =  $32 - 36$

severe =  $< 32$

Ax: Warm chain.

Hypertthermia  $\rightarrow > 37.5$

## WARM CHAIN:

1) warm delivery room =  $22 - 26^{\circ}\text{C}$

2) warm resuscitation corner

3) immediate drying

4) skin to skin contact

5) Breast feeding




- 6) Bathing postponed
- 7) Appropriate clothing
- 8) Professional alertness
- 9) Warm transportation



### SOTO'S Syndrome

- Prominent forehead
- flushed cheek
- Pointed chin
- Macrocephaly
- Premature eruption of teeth
- Large for gestational age



### Large Gestational Age

- 1) Soto's syndrome
- 2) Beckwith-Wiedemann syndrome
- 3) Infant of DM
- 4) Erythroblastosis foetalis

↑ chance of Wilms' tumour

omphalocele

macroglossia


↑ microcephaly

Hemihypertrophy with one side of limb

umbilical hernia

Wilms's tumour → a/w i) Dennis Drash Sx  
ii) Beckwith Wiedemann Sx  
iii) Weger syndrome.

Website - notespaedia.com  
Telegram - Notespaedia




Telephone receiver femur  
↓

THANATOPHORIC  
DYSPLASIA Type 1


GIF @ 1:48:00 → HOLOPROENCEPHALY

• Waving bye bye → 9 month milestone

Joubert syndrome → Molar tooth sign.



PKAN {pentothenate kinase associated neurodegeneration / Hallervorden spat3 syndrome} → Eye of tiger sign







## Tram track sign

Website - notespaedia.com  
Telegram - Notespaedia



CNS: **sturge weber syndrom**

other areas of tram track

- eye : optic nerve meningioma
- respiratory } Bronchiectasis  
chest } cardiogenic P.E
- Abdomen : NEC
- Kidney : MPGN type 1  
B.M duplication  
under light micro  
scope
- mammary gland } duct ectasia  
mammography }



## GASTROSCHISIS

- No covering over intestine
- intestine is out.

Rx: Cover the exposed intestine  
with gauze soaked N.S





## OMPHALOCELE..

Website - notespaedia.com  
Telegram - Notespaedia

- intestine out
- covering is ⊕ .



## omphalocele

- intestine out
- covering ⊕




## Geographic tongue



foliate or vit. B12 defb.

Notespaedia  
More than just notes...



pan digital clubbing



Normal angle of nail bed



Distorted angle of nail bed

Clubbed fingers



ADAM


## Grades of clubbing

Grade 1 : Nail bed fluctuation

Grade 2 : Obliteration of Lovibond angle

Grade 3 : Parrot beaking

Grade 4 : Hypertrophic osteoarthropathy (HOA)



① { Dimension shape visible

{GIF} → CTEV @ 1:56:00



# IV Cannula Sizes & Colors

Website - notespaedia.com  
Telegram - Notespaedia

| Gauge | Colour Code | Ext.Dia. mm | Length mm | Flow Rate ml/min | Indications                     |
|-------|-------------|-------------|-----------|------------------|---------------------------------|
| 14G   | Orange      | 2.1         | 45        | 240              | Trauma, surgical procedures     |
| 16G   | Grey        | 1.8         | 45        | 180              | Trauma, surgical procedures     |
| 18G   | Green       | 1.3         | 32/45     | 90               | Trauma, quick blood transfusion |
| 20G   | Pink        | 1.1         | 32        | 60               | Normal IV or blood transfusion  |
| 22G   | Blue        | 0.9         | 25        | 36               | Children, older adults          |
| 24G   | Yellow      | 0.7         | 19        | 20               | Neonates, children, old elderly |
| 26G   | Violet      | 0.6         | 19        | 13               | Neonates                        |

AIIMS 19




AIIMS  
MAY '19

Patient with Diarrhoea and severe Dehydration presenting in OPD, for Rapid infusion of fluid choice will be

- a) Grey
- b) Pink
- c) Blue
- d) Green

Website - notespaedia.com  
Telegram - Notespaedia  
WhatsApp - 7356595629







Malar rash



SLE

Website - notespaedia.com  
Telegram - Notespaedia

- World Autism Day → 18<sup>th</sup> June
- Breast feeding week → 1<sup>st</sup> wk of August

Blood report @ 1:58:26 = comment

AIIM'18

A baby had change in voice, a nasal twang and was not eating anything from 5 days.

Xray done → shows a coin in throat.



Mx? = Endoscopic removal with 24 hr.

- Dose of Adrenaline in neonatal resuscitation ::

1:1000  $\xrightarrow{\text{N.S}}$  1:10,000

↓ give 0.1 ml/kg

# Ibuprofen :

use : fever  
pain

JRA

cystic fibrosis

PDA

migraine


Dosage : P.O

• PDA = IV → initial dose of 10mg/kg  
↓ s/b  
24 hours interval  
by two doses of 5mg/kg.

{ 91F3@ 2:06:11 → Jargon

making incomprehensible  
sound

} 15 months  
more than just notes...



cupping  
fraying  
splaying } RICKETS

→ 3 months of age

3mth 2mth  
(H) (C) T T  
(P) (T) (L) S  
3yrs 4yrs

{41F} : 2:08:00 → Drawing +  $\xi$  O

↓  
4yr

↓  
3yr

} milestone

{41F} : 2:08:45 →

unidextrous → 6 months

transferring of object → 6-7 months

mouthing → 5 months

bidextrous → 4 months

{41F} 2:09:17 →

Hand shaking + independently standing

12 months

independently walk → 12-13 months

one hand held

Q: What is the weight of 1 sachet of ORS?

sol. 20.5 gram

| WHO ORS Formulae - comparison |                                   |     |                                  |
|-------------------------------|-----------------------------------|-----|----------------------------------|
| (All values in mmol / litre)  |                                   |     |                                  |
|                               | Standard ORS<br>(g/L) --- (mEq/L) |     | Reduced osmolarity<br>ORS (2003) |
| Sodium Chloride               | 2.6                               | 90  | 75                               |
| Chloride                      |                                   | 80  | 65                               |
| Potassium chloride            | 1.5                               | 20  | 20                               |
| Trisodium Citrate             | 2.9                               | 10  | 10                               |
| Anhydrous Glucose             | 13.5                              | 111 | 75                               |
| Total Osmolarity              |                                   | 311 | 245                              |



GIF @ 2:12:44 → milestone ⇒ Run @ 18 months

Website - notespaedia.com  
Telegram - Notespaedia

GIF @ 2:13:27 → which procedure is done on this child  
↳ cleft lip repair.

GIF @ 2:13:47 ⇒ sitting without support @ 8 months

GIF @ 2:14:28 ⇒ Manoeuvr : Hip and knee flexed to  $90^\circ$   
and on hyperextension child  
winces with pain and pt.  
tells pain in the hamstring  
muscles.




KURNIG'S sign.

### signs of meningitis

- 1) Kurnig's sign
- 2) Brudzinsky sign
- 3) Neck rigidity.

{GIF} @ 2:15:53 → (N) arch of foot is lost  
Flat foot / pes planus.

{GIF} @ 2:16:22 → Tandice  
↓  
upper bulbar conjunctiva  
is appreciated.



### Typhoid Conjugate Vaccine:

| Dose  | Route | Site                             | Age                          |
|-------|-------|----------------------------------|------------------------------|
| 0.5ml | IM    | Anterolateral aspect<br>of thigh | 9-12 months<br>Booster @ 2yr |

- All vaccine usually stored under  $2-8^{\circ}\text{C}$  except **oral polio vaccine** =  $-20^{\circ}\text{C}$
- National immunization doesn't include Typhoid vaccine
- It is a part of IAP

**{GIF} 2:19:29 → Bowing of legs**

- Causes:
- 1) Rickets
  - 2) osteogenesis imperfecta
  - 3) Pb/P poisoning
  - 4) Fracture unhealed
  - 5) Blount's d/s
  - 6) Bone dysplasia



## congenital diaphragmatic hernia

- Bowel sounds in the chest
- Scaphoid Abdomen
- Respiratory distress
- Bag and mask C/I

(MC) type  $\Rightarrow$  posterolateral type  
**BOCHDALEK** hernia

Website - notespaedia.com  
 Telegram - Notespaedia

{GIF} @ 2:21:50  $\rightarrow$  . microcephaly  
 . low set ears  
 . squint.

spina bifida  $\Leftarrow$  . Tuft of hair on the  
 occulta lower back

} Global development delay.

Microcephaly =  $< -3$  SD } head circumference  
 Macrocephaly =  $> 2$  SD }

{GIF} @ 2:26:00  $\rightarrow$  asymmetrical MORO reflex  
 Erb's palsy  $\rightarrow$

other causes of U/L moro reflex:

- 1) # clavicle
- 2) Brachial plexus injury
- 3) Erbs palsy
- 4) Congenital hemiplegia
- 5) Shoulder dislocation

More than just notes...





## Mongolian spot

Website - notespaedia.com  
Telegram - Notespaedia

- (MC) location is lumbosacral region
- Bluish black well demarcated areas of pigmentation seen on the buttocks and back.



- small capillary hemangioma over nape of neck, upper eyelid and forehead
- ⇕
- stork bite / salmon patch / nevus simplex
- ↳ They are capillary hemangioma, located at nape of neck, upper eyelid, forehead.

[41F] @ 2:28:55 → contracture/weakness

## Vaccine Vial Monitor:

| Symbol | Explanation                                                                                                                        | Stage |
|--------|------------------------------------------------------------------------------------------------------------------------------------|-------|
|        | The inner square is lighter than the outer circle. If the expiry date has not passed, <b>USE</b> the vaccine.                      | I     |
|        | As time passes the inner square is still lighter than the outer circle. If the expiry date has not passed, <b>USE</b> the vaccine. | II    |
|        | <b>Discard point:</b> the color of the inner square matches that of the outer circle. <b>DO NOT</b> USE the vaccine.               | III   |
|        | Beyond the discard point: inner square is darker than the outer circle. <b>DO NOT</b> USE the vaccine.                             | IV    |

From WHO (www.who.int).

OPV = -20°C storage (frozen)




**§41F3 @ 2:33:32 → Video showing swelling of joints**

Joint no. involved: arthritis

Mono }  
oligo }  
Poly } ————— <sup>D/D</sup> septic/TB

Website - notespaedia.com  
Telegram - Notespaedia



⊕ Night cry and bony tenderness → Leukemia

**§41F3 @ 2:36:29 → inspiratory sound baby**

Stridor:

- 1) Laryngomalacia
- 2) U/L V.C palsy
- 3) Laryngeal stenosis
- 4) Laryngeal web

Q: what are the conditions in newborn which looks ab<sup>N</sup> but are normal?

Website - notespaedia.com  
Telegram - Notespaedia

- i) Milia
- ii) Vaginal bleeding @ Day 3 of life
- iii) Physiological weight loss
- iv) Physiological phimosis
- v) Subconjunctival H'mage
- vi) Erythema Toxicum
- vii) Mongolian spot
- viii) Peeling of skin
- ix) Salmon Patch
- x) Neonatal pustular melanosis
- xi) Acne Neonatorum



### PHOCOMELIA

d/t thalidomide mother during pregnancy

| Mother        | Baby             |
|---------------|------------------|
| Antimalarials | Deafnes          |
| Misoprostol   | Mobius Sx        |
| Alcohol       | Fetal alcohol Sx |
| Carbamazepine | Spina Bifida     |

→ abortion  
→ Thrombocytopenia  
→ cranial neuropathies

|              |                                                                                                                           |
|--------------|---------------------------------------------------------------------------------------------------------------------------|
| Conbimazole  | <ul style="list-style-type: none"> <li>• scalp defect</li> <li>• choanal atresia</li> <li>• Esophageal atresia</li> </ul> |
| cocaine      | • microcephaly                                                                                                            |
| Danazol      | Virilization                                                                                                              |
| Lithium      | <ul style="list-style-type: none"> <li>• Ebstein anomaly</li> <li>• macrosomia</li> </ul>                                 |
| Phenytoin    | <ul style="list-style-type: none"> <li>• Fetal hydantoin Sx</li> <li>• neuroblastoma</li> <li>• Vit. K def</li> </ul>     |
| Statins      | VACTERL anomalies                                                                                                         |
| Tetracycline | <ul style="list-style-type: none"> <li>• Yellow teeth</li> <li>• cataract</li> </ul>                                      |
| vit D        | <ul style="list-style-type: none"> <li>• Hypercalcaemia</li> <li>• Supravalvular A.S</li> </ul>                           |
| warfarin     | <ul style="list-style-type: none"> <li>• fetal bleed</li> <li>• hypoplastic nasal structure</li> </ul>                    |

⇒ failure to pass N.G tube  
but easy to pass O.G tube

Tracheo esophageal fistula




Difficult to pass both  
N.G & O.G tube



Notespaedia  
More than just notes...

⇒ William Sx  
• (m.c) congenital HD  
• Elfin faces





- Trousseau sign**: • Hand adopts a characteristic posture (spasm) when the sphygmomanometer cuff is inflated above the systolic B.P within 5 minutes
- It is a test for neuromuscular excitability which helps in detecting latent tetany.

{GIF} @ 2:48:51 → Chvostek sign

Chvostek's sign: is the twitching of the facial muscles in response to tapping over the area of the facial Nerve

{GIF} @ 2:49:40 → Allen's test


↓  
make sure the collateral circulation is present during kidney dialysis




## Treacher Collins Syndrome:

Website - [notespaedia.com](http://notespaedia.com)  
Telegram - Notespaedia


- A.D
- antimongoloid slant
- deafness
- Coloboma lower eyelid
- micrognathia
- under developed cheeks
- **TCOF1 gene mutation**



**coloboma**




**Treacher Collins Syndrome**






## Morfan's Syndrome

Website - notespaedia.com  
Telegram - Notespaedia



⇒ Arachnodactyly

- Wrist sign
- Thumb sign



Pectus  
excavatum



Indented  
breastbone


Pectus  
carinatum



protruding breastbone



Notespaedia  
More than just notes...



## Fragile X syndrome


- Mental retardation
- A.R
- Delayed milestone
- mandibular prognathism
- Sz.

NEET PG • Triple nucleotide repeat mutation defect

Website - notespaedia.com  
Telegram - Notespaedia

- (MC) cause of mental retardation → down syndrome
- 2nd (MC) cause is fragile X syndrome
- Reversible / preventable cause mental retardation  
↳ Congenital Hypothyroidism


• String sign ⇒ Hypertrophic pyloric stenosis



INFANTILE HYPERTROPHIC PYLORIC STENOSIS.

- Projectile vomiting
- Voracious appetite after vomiting
- weight loss
- diarrhea
- Non bilious vomiting
- 2-6 wk of life

• Double tract sign ⇒ Hypertrophic pyloric stenosis



Notespaedia  
More than just notes...



## STRAWBERRY

- strawberry } multiple sebaceous cyst  
scrotum
- strawberry } cholestolosis  
gall bladder
- strawberry } Antenal USC in  
skull Edwards
- Strawberry Tongue = Kawasaki
- Strawberry vagina = Trichomoniasis
- Strawberry Gingiva = Wegner's Granulo  
nabasis